



Fire Blanket

Fire blanket made of woven fibers of glass.

| | | | | |
|--------------|--|---|--|--|
| Fire class | | | | |
| Fire blanket | | • | | |

B-fire: Flammable liquids

Approvals: BS EN 1869: 1997
DIN EN 1869: 2001-01



Application

The fire blanket is suitable for extinguishing fire in liquids in small units such as barrels, drums, pans etc. The fire blanket is also suitable for person fires.

Quality

The fire blanket is made of woven fibers of glass - with a thickness of 0,4 mm. The blanket is flexible, strong and very light with a high melting point. Front loading for minimum removal time. Requires 40 % less wall space.

Comfort

The fire blanket can be mounted on wall, cabinet or the like. By pulling the two sewn ribbons, the blanket is folded out and ready for use. After use the blanket can be disposed as normal waste. The size of the blanket is folded 245 mm x 175 mm.





Fire Blanket

Comptences


GD-gruppen has more than 25 years of experience in sales and service of fire material.



A view of the fire blanket's weaving



The rear side of the fire blanket



FRONT SIDE

REAR SIDE

Technical specifications

Tensile strength

| Yarn type | Total weight | Netto-weight | Tensile strength | | Temp. range | Length | Dimensions | |
|-----------|--------------|--------------|------------------|----------|--------------|---------|------------|-----------|
| | | | Pull | Shot | | | Width | Thickness |
| TG-430 TS | 1185 gram | 950 gram | 1100 N/cm | 640 N/cm | Up to 550 °C | 1800 mm | 1200 mm | 0,35 mm |

We reserve the right to change technical specifications